


Drg No. QDF5V

REMOVE ALL BURRS AND SHARP EDGES.

THIRD ANGLE PROJECTION.

		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.8267	148
No. OF BOLTS		10	10
THREAD / THRO' HOLE		0.492	12.5
CROWN WHEEL SPIGOT DIA	D2	5.001	127.0
BEARING DIA	D3	2.1274	54.0
BEARING DISTANCE	L1	4.520	114.8
SPIGOT LENGTH	L2	0.830	21.1
	L2/A	0.830	21.1
OVERALL LENGTH	L3	6.180	157.0
BEARING/CROWN WHEEL	L4	0.842	21.4
BORE	D4	1.260	32.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		27	
PITCH		24/48 DP	
TYPE		FLAT ROOT	SIDE FIT
PRESSURE ANGLE		30 DEG	



TITLE R.W.D. DIFF DATA SHEET.

SCALE 1:1 U.O.S. SHEET 1 OF 1

Drg. No. QDF5V

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF RT QUAIFFE ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH, GRIND@G
 LIMITS. FRACT. $\pm 1/64"$.
 DEC. $\pm 0.005"$.
 MATERIAL.
 TREATMENT.
 ISSUE. 01 DATE. 26.5.05
 DRAWN BY. M.L.M.

Used In. MERCEDES