

# Genuine Mercedes-Benz Accessories Wheels



Mercedes-Benz



Introduction	03	
C-Class	08	Series 203
	16	Series 202



## Heavenly wheels for your Mercedes-Benz

Few changes you can make to your car or SUV have as dramatic an effect on a vehicle's appearance and personality as changing its wheels. Because Mercedes-Benz owners are a diverse and particularly discerning group, we offer a rich and varied selection of exclusive light-alloy wheels for every model.

This catalog presents the full range of Genuine Mercedes-Benz and AMG light-alloy wheels - plus accessories - for all current and several past models. The wheels are tailored both

technically and visually to the individual Mercedes-Benz series, so we've organized this book according to model to help make your search easier.

Given our Three-Pointed Star trademark, we at Mercedes-Benz have always had a close affinity with stars. So it was only natural that we name our wheels for celestial bodies. After all, the wheels we offer are shining examples of outstanding - some might say heavenly - design.

**Wheel Table** (explains how to read each wheel listing):

Wheel size in inches   Wheel name	<b>18 ALIOTH</b>
Wheel size   Tire size	5-spoke wheel, multi-piece 8.5 J x 18 ET 44 · 245/45 R18
Order number	B6 647 4100
Additional information	Sterling silver finish; high-sheen rim flange

CL-Class	<b>22</b>	Series 215
CLK-Class	<b>26</b>	Series 209
	<b>32</b>	Series 208
CLS-Class	<b>38</b>	Series 219

E-Class	<b>42</b>	Series 211
	<b>46</b>	Series 210
G-Class	<b>50</b>	Series 463
M-Class	<b>52</b>	Series 164
	<b>56</b>	Series 163

R-Class	<b>58</b>	Series 251
S-Class	<b>62</b>	Series 221
	<b>66</b>	Series 220
SL-Class	<b>70</b>	Series 230
	<b>74</b>	Series 129

SLK-Class	<b>78</b>	Series 171
	<b>84</b>	Series 170
Accessories	<b>91</b>	
Index	<b>92</b>	

## Genuine means something very important

In technical terms, every Genuine Mercedes-Benz and AMG wheel is state-of-the-art. Each is crafted of a proprietary aluminum alloy formula that meets our exceedingly high original equipment requirements for strength and durability with minimal weight. That's crucial, because wheels are a significant part of your vehicle's unsprung mass, where every pound saved contributes directly to more dynamic and comfortable performance. After all, it's the wheels of your vehicle that transfer power to the road; mile after mile, bend after bend.

Besides the material used to manufacture the wheel, and its weight, dimensions such as rim diameter, rim width, offset, backspacing and bolt circle are critical factors that must be considered when matching any custom wheel to your vehicle. We have developed each and

every one of our wheels to preserve or to optimize the driving characteristics of a specific Mercedes-Benz model. Further, our wheels are subjected to load tests which exceed statutory requirements. Considering the importance and complexity of wheels, it's no wonder that Mercedes-Benz engineers devote so much attention and scrutiny to them.

A wheel only earns the name Genuine Mercedes-Benz when we are convinced that it will meet our high standards for safety, dependability and performance - not to mention aesthetics - and make your vehicle even more special. In short, Genuine means premium quality.

### **Please note**

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage. See an authorized Mercedes-Benz dealer for details and installation. Please also bear in mind that vehicle

development is continuously ongoing. As a result, not all of the wheel/tire combinations shown in this catalog will be approved for your particular Mercedes-Benz. Your authorized Mercedes-Benz dealer, however, has access to constantly updated information on every Genuine Mercedes-Benz wheel, and will be happy to advise you.







18" | **MENKET** | Genuine Mercedes-Benz Wheel | 7-spoke wheel | for the CLS-Class



18" | **ALRESHA** | Genuine Mercedes-Benz Wheel | multi-spoke wheel | for the CLK-Class



20" | **FURUD** | Genuine Mercedes-Benz Wheel | 5-spoke wheel | for the M-Class

## Unique, like you

As a Mercedes-Benz owner you appreciate the confidence, security and sheer fun of driving a very special vehicle. For many, the vehicles we choose to drive often reflect something about our lifestyles, our interests and our personalities.

People who customize their vehicles are individuals who embrace the unique and want to enhance their driving experience in a way that shows their own personal style. Most

often, customization begins with wheels. Ever notice how a really unique set of wheels on a vehicle grabs and holds your attention? Our designers do. And this is the driving force behind their creations.

The results are impressive. Our distinctive wheel designs reflect top-class execution in every respect. Whether it be a single-piece or racing-inspired multi-piece design, sterling silver or high-sheen finish, aggressive or

elegant style, you're sure to find a Genuine Mercedes-Benz or AMG wheel that complements your own sense of style. So go ahead, make your Mercedes-Benz extra special with a set of wheels that are unique, like you.



**17 HOEDUS**

6-spoke wheel

7.5 J x 17 ET 36 · 225/45 R17

B6 647 4319

Sterling silver finish

**17**

8.5 J x 17 ET 34 · RA 245/40 R17

B6 647 4320

Sterling silver finish; not compatible with snow chains; not compatible with 4MATIC models



**17 CELAENO**

7-twin-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1821

Sterling silver finish; not with optional extra code 949/950 (sports package); not for C350, C320 CDI and C350 4MATIC

**18 SADACHIBA**5-spoke wheel  
multi-piece

7.5 J x 18 ET 37 · 225/40 R18

B6 647 0600

Titanium silver finish, high sheen; only in conjunction with optional extra code 486 (sports suspension) or optional extra code 949/950 (sports package); not compatible with snow chains



Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143

## GENUINE MERCEDES-BENZ WHEELS



### 18 ALRESHA

Multi-spoke exclusive forged wheel

7.5 J x 18 ET 37 · 225/40 R18

B6 647 4242

Bi-color finish, anthracite, high-shine polish; only in conjunction with optional extra code 486 (sports suspension) or optional extra code 949/950 (sports package)



### 17 SAIDAK

5-twin-spoke wheel multi-piece


7.5 J x 17 ET 37 · 225/45 R17

B6 647 1671

Sterling silver finish; not with optional extra code 949/950; not for C350, C320 CDI and C350 4MATIC

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143





**16 SARGAS**

5-twin-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 1542

Sterling silver finish; not with optional extra code 949/950; not for E35, C350, C320 CDI and C350 4MATIC



## GENUINE MERCEDES-BENZ WHEELS



### 17 ALSHAIN

7-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1511

Sterling silver finish; not with optional extra code 949/950 (sports package) except for Sport Coupe with Evolution sports package; not for C350, C320 CDI and C350 4MATIC

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 647 1515

Sterling silver finish; not with optional extra code 949/950 (sports package) except for Sport Coupe with Evolution sports package; not compatible with snow chains; not for C350, C320 CDI and C350 4MATIC



## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



### 17 ADHARAZ

5-spoke wheel

7.5 J x 17 ET 36 · 225/45 R17

B6 647 1702

Sterling silver finish



### 17 7-TWIN-SPOKE WHEEL

7.5 J x 17 ET 36 · 225/45 R17

B6 647 4263

Sterling silver finish



### 17 5-SPOKE WHEEL

7.5 J x 17 ET 36 · 225/45 R17

B6 647 0609

Titanium silver finish

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 647 4250

Sterling silver finish; not compatible with snow chains; not compatible with 4MATIC models

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 647 4264

Sterling silver finish; not compatible with snow chains; not compatible with 4MATIC models

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 647 0610

Titanium silver finish; not compatible with snow chains; not compatible with 4MATIC models



**17 7-HOLE WHEEL**

7.5 J x 17 ET 36 · 225/45 R17  
B6 647 1055

Titanium silver finish



**16 7-SPOKE WHEEL**

7 J x 16 ET 31 · 205/55 R16  
B6 647 0766

Titanium silver finish; not with optional extra code 949/950 (sports package); not for E35, C350, C320 CDI and C350 4MATIC



**16 CYGNUS**

7-spoke wheel  
7 J x 16 ET 37 · 205/55 R16  
B6 647 4232

Titanium silver finish; not for C350, C320 CDI and C350 4MATIC



**16 ALGIEBA**

5-hole wheel  
7 J x 16 ET 37 · 205/55 R16\*  
B6 647 0987

High-shine; \*also 225/50 R16; not with optional extra code 949/950 (sports package); not for E35, C350, C320 CDI and C350 4MATIC



**16 ELECTRA**

5-twin-spoke wheel  
7 J x 16 ET 37 · 205/55 R16\*  
B6 647 2120

Standard silver finish; \*also 225/50 R16; not with optional extra code 949/950 (sports package); not for E35, C350, C320 CDI and C350 4MATIC



**16 ELNATH**

7-hole wheel  
7 J x 16 ET 37 · 205/55 R16\*  
B6 647 0992

Standard silver finish; \*also 225/50 R16; not with optional extra code 949/950 (sports package); not for E35, C350, C320 CDI and C350 4MATIC

**16**

7 J x 16 ET 31 · 205/55 R16  
B6 647 1053

Titanium silver finish; not with optional extra code 949/950 (sports package); not for E35, C350, C320 CDI and C350 4MATIC

**16**

8 J x 16 ET 32 · RA 225/50 R16  
B6 647 4233

Titanium silver finish; not compatible with snow chains; not for C350, C320 CDI and C350 4MATIC

**16**

7 J x 16 ET 37 · 205/55 R16\*  
B6 647 4231

Titanium silver finish; \*also 225/50 R16; not with optional extra code 949/950 (sports package); not for E35, C350, C320 CDI and C350 4MATIC

**16**

8 J x 16 ET 32 · RA 225/50 R16  
B6 647 2121

Standard silver finish; not with optional extra code 949/950 (sports package); not for E35, C350, C320 CDI and C350 4MATIC

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143

## AMG LIGHT-ALLOY WHEELS



### 17 STYLE I

AMG spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1005

High-sheen rim flange; not for C32 AMG, for C30 CDI AMG, C55 AMG and W/S with code 949 or 950

### 17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1006

High-sheen rim flange; not for C32 AMG, for C30 CDI AMG, C55 AMG and W/S with code 949 or 950; modification of bodywork necessary; not compatible with 4MATIC models



### 18 STYLE II

AMG disc wheel

8 J x 18 ET 31 · 225/40 R18

B6 603 1007

High-sheen rim flange; not for C32 AMG, for C30 CDI AMG, C55 AMG and W/S with code 949 or 950

### 18

9 J x 18 ET 35 · RA 255/35 R18

B6 603 1001

High-sheen rim flange; not for C32 AMG, for C30 CDI AMG, C55 AMG and W/S with code 949 or 950; modification of bodywork necessary; not compatible with 4MATIC models



### 17 STYLE II

AMG disc wheel

7.5 J x 17 ET 35 · 225/45 R17

B6 602 0083

High-sheen rim flange; not for C32 AMG, for C30 CDI AMG, C55 AMG and W/S with code 949 or 950

### 17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 602 0085

High-sheen rim flange; not for C32 AMG, for C30 CDI AMG, C55 AMG and W/S with code 949 or 950; modification of bodywork necessary; not compatible with 4MATIC models



### 17 STYLE III

AMG spoke wheel  
multi-piece

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1030

High-sheen rim flange

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1031

High-sheen rim flange; not compatible with 4MATIC models

### 17 STYLE III

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1183\*

Sterling silver finish;  
\*variation with high-sheen finish  
B6 603 1028

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1185

Sterling silver finish; not compatible with 4MATIC models

### 17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1184▲

Sterling silver finish; ▲variation with high-sheen finish B6 603 1029; modification of bodywork necessary; not compatible with 4MATIC models

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143



**17** STYLE III

AMG spoke wheel  
 7.5 J x 17 ET 37 · 225/45 R17  
 B6 603 1440  
 Sterling silver finish



**17** STYLE IV

AMG twin-spoke wheel  
 7.5 J x 17 ET 37 · 225/45 R17  
 B6 603 1026  
 Sterling silver finish



**18** STYLE IV

AMG twin-spoke wheel  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1310  
 Sterling silver finish

**17** STYLE IV

AMG twin-spoke wheel  
 7.5 J x 17 ET 37 · 225/45 R17  
 B6 603 1302  
 Sterling silver finish



**18** STYLE IV

AMG twin-spoke wheel multi-piece  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1368  
 Sterling silver finish



**18** STYLE V

AMG multi-spoke wheel  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1113  
 High-sheen finish

**17**

8.5 J x 17 ET 30 · RA 245/40 R17  
 B6 603 1441  
 Sterling silver finish; modification of bodywork necessary; not compatible with 4MATIC models

**17**

8.5 J x 17 ET 34 · RA 245/40 R17  
 B6 603 1027  
 Sterling silver finish

**18**

8.5 J x 18 ET 34 · RA 245/35 R18  
 B6 603 1342  
 Sterling silver finish

**17**

8.5 J x 17 ET 30 · RA 245/40 R17  
 B6 603 1303  
 Sterling silver finish; modification of bodywork necessary; not compatible with 4MATIC models

**18**

8.5 J x 18 ET 30 · RA 245/35 R18  
 B6 603 1362  
 Sterling silver finish; modification of bodywork necessary; not compatible with 4MATIC models

**18**

8.5 J x 18 ET 30 · RA 245/35 R18  
 B6 603 1114  
 High-sheen finish; modification of bodywork necessary; not compatible with 4MATIC models

**18**

8.5 J x 18 ET 30 · RA 245/35 R18  
 B6 603 1305  
 Sterling silver finish; modification of bodywork necessary; not compatible with 4MATIC models



**17 SAIDAK**

5-twin-spoke wheel  
multi-piece

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1671

Sterling silver finish; increased rear axle load not possible for Estate with trailer; modification of bodywork necessary; not for C36 AMG, C43 AMG

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 1672

Sterling silver finish; for models through 04/02 only; not compatible with snow chains; not compatible with 4MATIC models



**17 ALSHAIN**

7-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1511

Sterling silver finish;  
modification of bodywork necessary;  
not for C36 AMG or C43 AMG

**16 SARGAS**

5-twin-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 1542

Sterling silver finish; only with rim  
weights (3mm)

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** B6 647 0133  
**WHEEL LOCK:** B6 647 0143

GENUINE MERCEDES-BENZ WHEELS



**17 CELAENO**

7-twin-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1821

Sterling silver finish;  
modification of bodywork necessary;  
not for C36 AMG or C43 AMG

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 1822

Sterling silver finish; for models through  
04/02 only; not compatible with snow  
chains; not compatible with 4MATIC  
models



**17 CEGINUS**

EVO II wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 0518

High-shine finish;  
modification of bodywork necessary;  
not for C36 AMG or C43 AMG



**17 TUREIS**

5-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 0513

Standard silver finish;  
modification of bodywork necessary;  
not for C36 AMG or C43 AMG

## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs

**16 CORVUS**

6-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 0523

Standard silver finish

**15 DENEb**

8-hole wheel

6,5 J x 15 ET 37 · 195/65 R15

B6 647 0065

Standard silver finish

**16**

8 J x 16 ET 36 · RA 225/50 R16

B6 647 0526

Standard silver finish; not compatible with snow chains; not compatible with 4MATIC models

**15**

7 J x 15 ET 37 · 205/60 R15

B6 647 0525

High-sheen finish

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233

## AMG LIGHT-ALLOY WHEELS

**17 STYLE I**

AMG spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1005

High-sheen rim flange;  
modification of bodywork necessary**17 STYLE III**

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1183<sup>•</sup>Sterling silver finish; <sup>•</sup>variation with high-sheen rim flange B6 603 1028; modification of bodywork necessary**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1006

High-sheen rim flange; not compatible with 4MATIC models

**17**

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1185

Sterling silver finish; modification of bodywork necessary; not compatible with 4MATIC models

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1184<sup>▲</sup>Sterling silver finish; not compatible with 4MATIC models; <sup>▲</sup>variation with high-sheen rim flange B6 603 1029

## AMG LIGHT-ALLOY WHEELS



### 17 STYLE III

AMG spoke wheel  
multi-piece

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1030

High-shine rim flange;  
modification of bodywork necessary

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1031

High-shine rim flange;  
not compatible with 4MATIC models

**17** STYLE III

AMG spoke wheel

7.5 J x 17 ET 37 · RA 225/45 R17

B6 603 1440

Sterling silver finish;  
modification of bodywork necessary**17** STYLE IV

AMG twin-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1026

Sterling silver finish;  
modification of bodywork necessary**18** STYLE IVAMG twin-spoke wheel  
multi-piece

7.5 J x 18 ET 37 · 225/40 R18

B6 603 1368

Sterling silver finish;  
modification of bodywork necessary**18** STYLE IV

AMG twin-spoke wheel

7.5 J x 18 ET 37 · 225/40 R18

B6 603 1310

Sterling silver finish;  
modification of bodywork necessary**18** STYLE V

AMG multi-spoke wheel

7.5 J x 18 ET 37 · 225/40 R18

B6 603 1113

High-sheen finish;  
modification of bodywork necessary**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1441

Sterling silver finish;  
not compatible with 4MATIC models**17**

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1027

Sterling silver finish;  
not compatible with 4MATIC models**18**

8.5 J x 18 ET 30 · RA 255/35 R18

B6 603 1362

Sterling silver finish; modification of  
bodywork necessary; not compatible  
with 4MATIC models**18**

8.5 J x 18 ET 30 · RA 255/35 R18

B6 603 1305

Sterling silver finish; modification of  
bodywork necessary; not compatible  
with 4MATIC models**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1303

Sterling silver finish; not compatible  
with 4MATIC models**18**

8.5 J x 18 ET 30 · RA 255/35 R18

B6 603 1114

High-sheen finish; modification of  
bodywork necessary; not compatible  
with 4MATIC models

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233



**18 ALIOTH**

5-spoke wheel  
multi-piece

8.5 J x 18 ET 44 - 245/45 R18

B6 647 4100

Sterling silver finish;  
high-shine rim flange

**18**

9.5 J x 18 ET 46-RA 275/40 R18 MO

B6 647 4101

Sterling silver finish; high-shine rim  
flange; models through 08/02 only





**18 ALMAAZ**

15-spoke wheel

8.5 J x 18 ET 44 · 245/45 R18

B6 647 4241

Sterling silver finish

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

WHEEL BOLTS: B6 647 0135  
WHEEL LOCK: B6 647 0145



**18 ALBIREO**

6-hole wheel, multi-piece

8 J x 18 ET 44 · 245/45 R18

B6 647 1451

Sterling silver finish; high-sheen rim flange; not for CL600 Biturbo



**18 ERIDANUS**

5-twin-spoke wheel

8.5 J x 18 ET 44 · 245/45 R18

B6 647 2122

Sterling silver finish

## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



**18 DIFDA**

5-hole wheel

8 J x 18 ET 44 · FA 245/45 R18

B6 647 1842

Sterling silver finish; hollow-spoke



**18 SEGIN**

6-hole wheel

8 J x 18 ET 44 · FA 245/45 R18

B6 647 1483

Forged



**17 5-SPOKE WHEEL**

7.5 J x 17 ET 46 · 225/55 R17

B6 647 4249

Sterling silver finish;  
not for CL600 Biturbo



**17 MISMAR**

5-twin-spoke wheel

7.5 J x 17 ET 46 · 225/55 R17

B6 647 1881

Standard silver finish;  
not for CL600 Biturbo



**17 YAD**

5-twin-spoke wheel

7.5 J x 17 ET 46 · 225/55 R17

B6 647 0545

Standard silver finish;  
not for CL600 Biturbo



**16 CARMETA II**

7-spoke wheel

7.5 J x 16 ET 46 · 225/60 R16

B6 647 1902

Standard silver finish;  
models through 08/02

**18**

9 J x 18 ET 46 · RA 265/40 R18

B6 647 1841

Sterling silver finish; hollow-spoke;  
not for 4MATIC models

**18**

9 J x 18 ET 46 · RA 265/40 R18

B6 647 1484

Forged; not for 4MATIC models

**18**

8 J x 18 ET 44 · 245/45 R18

B6 647 0547

Sterling silver finish; hollow-spoke;  
not for CL600 Biturbo; models through  
08/02 only

**17**

7.5 J x 17 ET 46 · 225/55 R17

B6 647 0546

Forged; not for CL600 Biturbo

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

**WHEEL BOLTS:** B6 647 0135  
**WHEEL LOCK:** B6 647 0145



## AMG LIGHT-ALLOY WHEELS

**18** STYLE I

AMG spoke wheel

8.5 J x 18 ET 44 · 245/45 R18

B6 603 1037\*

Sterling silver finish; \* variation with high-sheen rim flange B6 603 1012; not for CL55 AMG KOMPRESSOR, CL600 Biturbo or CL65 AMG

**18** STYLE III

AMG spoke wheel

8.5 J x 18 ET 44 · 245/45 R18

B6 603 1240

Sterling silver finish;  
not for CL65 AMG**19** STYLE III

AMG spoke wheel

8.5 J x 19 ET 44 · 245/40 R19

B6 603 1022

High-sheen rim flange

**18** STYLE IV

AMG twin-spoke wheel

8.5 J x 18 ET 44 · 245/45 R18

B6 603 1306

Sterling silver finish;  
not for CL65 AMG**19** STYLE IVAMG twin-spoke wheel  
multi-piece

8.5 J x 19 ET 44 · 245/40 R19

B6 603 1364▼

Titanium grey finish; ▼ variation in sterling silver B6 603 1375; not as FA/RA combination for CL55 AMG KOMPRESSOR, CL600 Biturbo or CL65 AMG

**18**

9.5 J x 18 ET 46 · RA 275/40 R18

B6 603 1038▲

Sterling silver finish; ▲ variation with high-sheen rim flange B6 603 1013; not for CL55 AMG KOMPRESSOR, CL600 Biturbo or CL65 AMG

**18**

9 J x 18 ET 44 · RA 265/40 R18

B6 603 1241

Sterling silver finish;  
not for CL65 AMG**19**

9.5 J x 19 ET 46 · RA 275/35 R19

B6 603 1023

High-sheen rim flange

**18**

9 J x 18 ET 44 · RA 265/40 R18

B6 603 1307

Sterling silver finish;  
not for CL65 AMG**19**

9.5 J x 19 ET 46 · RA 275/35 R19

B6 603 1365■

Titanium grey finish; ■ variation in sterling silver B6 603 1376; not for CL65 AMG

WHEEL BOLTS: B6 647 0135  
WHEEL LOCK: B6 647 0145



**17 ELARNEB**

6-spoke wheel  
multi-piece

7.5 J x 17 ET 36 · 225/45 R17

B6 647 0256

Sterling silver finish

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 0257

Sterling silver finish;  
not compatible with snow chains



## 18 SADACHIBA

5-spoke wheel  
multi-piece

7.5 J x 18 ET 37 · 225/40 R18

B6 647 0600

Titanium silver finish, high-shine;  
not compatible with snow chains

## 18

8.5 J x 18 ET 30 · RA 255/35 R18

B6 647 0601

Titanium silver finish, high-shine;  
not compatible with snow chains



## 17 ANCHAT

7-spoke wheel

7.5 J x 17 ET 36 · 225/45 R17

B6 647 1517

Sterling silver finish

## 17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 1518

Sterling silver finish;  
not compatible with snow chains

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143



**i8** ALRESHA

multi-spoke wheel,  
forged

7.5 J x 18 ET 37 - 225/40 R18

B6 647 4242

Bi-color finish; anthracite, high-shine  
polish; not compatible with snow chains

**i8**

8.5 J x 18 ET 30 - RA 255/35 R18

B6 647 4243

Bi-color finish; anthracite, high-shine  
polish; not compatible with snow chains

**GENUINE MERCEDES-BENZ WHEELS**

Standard and additional designs



**17 ADHARAZ**  
5-spoke wheel  
7.5 J x 17 ET 36 · 225/45 R17  
B6 647 1702  
Sterling silver finish



**17 SAIPH**  
5-spoke wheel  
7.5 J x 17 ET 36 · 225/45 R17  
B6 647 4081  
Titanium silver finish



**17 5-TWIN-SPOKE WHEEL**  
7.5 J x 17 ET 36 · 225/45 R17  
B6 647 4268  
Titanium silver finish



**16 CYGNUS**  
7-spoke wheel  
7 J x 16 ET 37 · 205/55 R16  
B6 647 4160\*  
High-sheen finish: \* variation with titanium silver finish B6 647 4232; not for CLK320 CDI, CLK350, CLK 500, CLK55 AMG or CLK500 AMG; not in conjunction with code 952/950

**17**  
8.5 J x 17 ET 30 · RA 245/40 R17  
B6 647 1703  
Sterling silver finish;  
not compatible with snow chains

**17**  
8.5 J x 17 ET 30 · RA 245/40 R17  
B6 647 4083  
Titanium silver finish;  
not compatible with snow chains

**17**  
8.5 J x 17 ET 30 · RA 245/40 R17  
B6 647 4269  
Titanium silver finish;  
not compatible with snow chains

**16**  
8 J x 16 ET 32 · RA 225/50 R16  
B6 647 4161▲  
High-sheen finish: ▲ variation with titanium silver finish B6 647 4233; not for CLK320 CDI, CLK350, CLK 500, CLK55 AMG or CLK500 AMG; not in conjunction with code 952/950; not compatible with snow chains

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

**WHEEL BOLTS:** B6 647 0133  
**WHEEL LOCK:** B6 647 0143

## AMG LIGHT-ALLOY WHEELS



### 17 STYLE I

AMG spoke wheel  
7.5 J x 17 ET 37 · 225/45 R17  
B6 603 1005

High-sheen rim flange;  
not for CLK55 AMG or CLK500

### 17

8.5 J x 17 ET 30 · RA 245/40 R17  
B6 603 1006

High-sheen rim flange;  
not for CLK55 AMG or CLK500



### 17 STYLE III

AMG spoke wheel  
7.5 J x 17 ET 37 · 225/45 R17  
B6 603 1183

Sterling silver finish

### 17

8.5 J x 17 ET 34 · RA 245/40 R17  
B6 603 1185

Sterling silver finish

### 17

8.5 J x 17 ET 30 · RA 245/40 R17  
B6 603 1184

Sterling silver finish



### 17 STYLE III

AMG spoke wheel  
multi-piece  
7.5 J x 17 ET 37 · 225/45 R17  
B6 603 1030

High-sheen rim flange

### 17

8.5 J x 17 ET 34 · RA 245/40 R17  
B6 603 1031

High-sheen rim flange



**17** **STYLE III**  
 AMG spoke wheel  
 7.5 J x 17 ET 37 · 225/45 R17  
 B6 603 1440  
 Sterling silver finish



**17** **STYLE IV**  
 AMG twin-spoke wheel  
 7.5 J x 17 ET 37 · 225/45 R17  
 B6 603 1026  
 Sterling silver finish



**18** **STYLE IV**  
 AMG twin-spoke wheel  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1310  
 Sterling silver finish



**17** **STYLE IV**  
 AMG twin-spoke wheel  
 7.5 J x 17 ET 37 · 225/45 R17  
 B6 603 1302  
 Sterling silver finish



**18** **STYLE IV**  
 AMG twin-spoke wheel multi-piece  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1368\*  
 Sterling silver finish



**18** **STYLE V**  
 AMG multi-spoke wheel  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1113  
 High-sheen finish

**17**  
 8.5 J x 17 ET 30 · RA 245/40 R17  
 B6 603 1441  
 Sterling silver finish

**17**  
 8.5 J x 17 ET 34 · RA 245/40 R17  
 B6 603 1027  
 Sterling silver finish

**18**  
 8.5 J x 18 ET 34 · RA 245/35 R18  
 B6 603 1342  
 Sterling silver finish

**17**  
 8.5 J x 17 ET 30 · RA 245/40 R17  
 B6 603 1303  
 Sterling silver finish

**18**  
 8.5 J x 18 ET 30 · RA 255/35 R18  
 B6 603 1362\*\*  
 Sterling silver finish

**18**  
 8.5 J x 18 ET 30 · RA 255/35 R18  
 B6 603 1114  
 High-sheen finish

**18**  
 8.5 J x 18 ET 30 · RA 255/35 R18  
 B6 603 1305  
 Sterling silver finish

**18**  
 9.5 J x 18 ET 18 · RA 255/35 R18  
 B6 603 1363▲  
 Sterling silver finish;  
 modification of bodywork necessary

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

Combination options:

- B6 603 1368 (FA), tyres: 225/40  
 B6 603 1362 (RA), tyres: 255/35
- ▲ B6 603 1362 (FA), tyres: 225/40  
 B6 603 1363 (RA), tyres: 255/35;  
 modification of bodywork necessary

**WHEEL BOLTS:** B6 647 0133  
**WHEEL LOCK:** B6 647 0143



**17 SAIDAK**

5-twin-spoke wheel  
multi-piece

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1671

Sterling silver finish; without sporty  
suspension tuning, code 488,  
some modification may be required

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 1672

Sterling silver finish; without sporty  
suspension tuning, code 488,  
some modification may be required;  
not compatible with snow chains







**17 ALSHAIN**

5-hole wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 4020

High-shine finish; without sporty suspension tuning, code 488, some modification may be required

**17 ALSHAIN**

7-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1511

Sterling silver finish; without sporty suspension tuning, code 488, some modification may be required

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** B6 647 0133  
**WHEEL LOCK:** B6 647 0143



**16 SARGAS**

5-twin-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 1542

Sterling silver finish; only with rim weights (3mm); not for CLK430 from 07/99

GENUINE MERCEDES-BENZ WHEELS

**17** CEGINUS

EVO II wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 0518

High-sheen finish; without sporty suspension tuning, code 488, some modification may be required; only with rim weights (3mm); not for CLK430 from 07/99



**16** ALGIEBA

5-hole wheel

7 J x 16 ET 37 · 205/55 R16\*

B6 647 4231

Titanium silver finish;  
\*also 225/50 R16; not for CLK430 from 07/99



**17** TUREIS

5-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 0513

Standard silver finish; without sporty suspension tuning, code 488, some modification may be required; not for CLK 430 from 07/99



**17** CELAENO

7-twin-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1821

Sterling silver finish; without sporty suspension tuning, code 488, some modification may be required

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 1822

Sterling silver finish; not compatible with snow chains; without sporty suspension tuning, code 488, some modification may be required



**GENUINE MERCEDES-BENZ WHEELS**

Standard and additional designs



**17 MEKAB**

5-hole wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 0862

High-sheen rim flange; without sporty suspension tuning, code 488, some modification may be required



**16 MIRZAM**

7-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 1331

Standard silver finish; not for CLK430 from 07/99



**16 CORVUS**

6-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 0523

Standard silver finish; not for CLK430 from 07/99



**16 ADHARAZ**

5-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 1392

Standard silver finish; not for CLK430 from 07/99



**16 ELECTRA**

5-twin-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 2120

Standard silver finish; not for CLK430 from 07/99

**16**

8 J x 16 ET 36 · HA 225/50 R16

B6 647 0526

Standard silver finish; not compatible with snow chains

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233

## AMG LIGHT-ALLOY WHEELS



### 17 STYLE I

AMG spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1005

High-sheen rim flange



### 18 STYLE II

AMG disc wheel

8 J x 18 ET 31 · FA 225/40 R18

B6 603 1007

High-sheen rim flange;  
modification of bodywork necessary



### 17 STYLE II

AMG disc wheel

7.5 J x 17 ET 35 · 225/45 R17

B6 602 0083

High-sheen rim flange



### 17 STYLE III

AMG spoke wheel  
multi-piece

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1030

High-sheen rim flange

17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1006

High-sheen rim flange;  
modification of bodywork necessary

18

9 J x 18 ET 35 · RA 255/35 R18

B6 603 1001

High-sheen rim flange;  
modification of bodywork necessary

17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 602 0085

High-sheen rim flange;  
modification of bodywork necessary

17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1185

Sterling silver finish

17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1031

High-sheen rim flange

17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1184▲

Sterling silver finish; ▲ variation with  
high-sheen rim flange B6 603 1029

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233



**17** STYLE III

AMG spoke wheel  
7.5 J x 17 ET 37 · 225/45 R17  
B6 603 1440

Sterling silver finish;  
modification of bodywork necessary



**17** STYLE IV

AMG twin-spoke wheel  
7.5 J x 17 ET 37 · 225/45 R17  
B6 603 1026

Sterling silver finish



**18** STYLE IV

AMG twin-spoke wheel  
7.5 J x 18 ET 37 · 225/40 R18  
B6 603 1310

Sterling silver finish;  
modification of bodywork necessary



**18** STYLE IV

AMG twin-spoke wheel  
multi-piece  
7.5 J x 18 ET 37 · 225/40 R18  
B6 603 1368

Sterling silver finish;  
modification of bodywork necessary



**18** STYLE V

AMG multi-spoke wheel  
7.5 J x 18 ET 37 · 225/40 R18  
B6 603 1113

High-shen finish;  
modification of bodywork necessary

**17**

8.5 J x 17 ET 30 · RA 245/40 R17  
B6 603 1441

Sterling silver finish

**17**

8.5 J x 17 ET 34 · RA 245/40 R17  
B6 603 1027

Sterling silver finish

**18**

8.5 J x 18 ET 34 · RA 245/35 R18  
B6 603 1342

Sterling silver finish;  
modification of bodywork necessary

**17**

8.5 J x 17 ET 30 · RA 245/40 R17  
B6 603 1303

Sterling silver finish

**18**

8.5 J x 18 ET 30 · RA 255/35 R18  
B6 603 1362

Sterling silver finish;  
modification of bodywork necessary

**18**

8.5 J x 18 ET 30 · RA 255/35 R18  
B6 603 1114

High-shen finish;  
modification of bodywork necessary

**18**

8.5 J x 18 ET 30 · RA 255/35 R18  
B6 603 1305

Sterling silver finish;  
modification of bodywork necessary



**18** **MENKET**

7-spoke wheel

8.5 J x 18 ET 28 · 245/40 R18

B6 647 4290

Sterling silver finish

**18**

9.5 J x 18 ET 33 · RA 275/35 R18

B6 647 4291

Sterling silver finish; not compatible  
with snow chains



Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** A 211 401 0370  
**WHEEL LOCK:** B6 647 0144

## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



**18** 5-SPOKE WHEEL

8.5 J x 18 ET 28 · 245/40 R18  
B6 647 4294

Titanium silver finish



**18** MULTI-SPOKE WHEEL

8.5 J x 18 ET 28 · 245/40 R18  
B6 647 4307

Titanium silver finish

**18**

9.5 J x 18 ET 33 · RA 275/35 R18  
B6 647 4296

Titanium silver finish; not compatible  
with snow chains

**18**

9.5 J x 18 ET 33-RA 275/35 R18  
B6 647 4308

Titanium silver finish; not compatible  
with snow chains

**18**

8.5 J x 18 ET 18 · RA 245/40 R18  
B6 647 4306

Titanium silver finish

WHEEL BOLTS: A 211 401 0370  
WHEEL LOCK: B6 647 0144

## AMG LIGHT-ALLOY WHEELS







**19** **STYLE III**  
 AMG spoke wheel  
 8.5 J x 19 ET 25 · FA 255/35 R19  
 B6 603 1230  
 Sterling silver finish;  
 only approved in conjunction with  
 AIRMATIC DC (Code 489)



**18** **STYLE IV**  
 AMG twin-spoke wheel  
 8.5 J x 18 ET 25 · 255/40 R18  
 B6 603 1308  
 Sterling silver finish



**19** **STYLE IV**  
 AMG twin-spoke wheel  
 multi-piece  
 8.5 J x 19 ET 25 · FA 255/35 R19  
 B6 603 1092  
 Sterling silver finish;  
 only approved in conjunction with  
 AIRMATIC DC (Code 489)



**18** **STYLE V**  
 AMG multi-spoke wheel  
 8.5 J x 18 ET 25 · 255/40 R18  
 B6 603 1115  
 High-sheen finish

**19**  
 9.5 J x 19 ET 28 · RA 285/30 R19  
 B6 603 1231  
 Sterling silver finish;  
 only approved in conjunction with  
 AIRMATIC DC (Code 489)

**18**  
 9.5 J x 18 ET 28 · RA 275/35 R18  
 B6 603 1309  
 Sterling silver finish

**19**  
 10 J x 19 ET 28 · RA 285/30 R19  
 B6 603 1093  
 Sterling silver finish;  
 only approved in conjunction with  
 AIRMATIC DC (Code 489);  
 modification of bodywork necessary

**18**  
 9.5 J x 18 ET 28 · RA 275/35 R18  
 B6 603 1116  
 High-sheen finish

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

**WHEEL BOLTS:** A 211 401 0370  
**WHEEL LOCK:** B6 647 0144



**17** **MARKAB**

Multi-spoke wheel  
multi-piece

8.5 J x 17 ET 38 · 245/45 R17

B6 647 4315

Sterling silver finish; only in conjunction with sports suspension, code 486, or AIRMATIC, code 489; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); not for E55 AMG





**18 ALRESHA**

Multi-spoke exclusive forged wheel

8 J x 18 ET 30 · 245/40 R18

B6 647 4244

Bi-color finish, anthracite, high-sheen polish; not for E55 AMG; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); only in conjunction with sports suspension, code 486, or AIRMATIC, code 489

**18 ALRESHA**

Multi-spoke exclusive forged wheel

9 J x 18 ET 39 · RA 265/35 R18

B6 647 4245

Bi-color finish, anthracite, high-sheen polish; not for E55 AMG; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); only in conjunction with sports suspension, code 486, or AIRMATIC, code 489; not compatible with 4MATIC models



**17 ALMACH**

5-twin-spoke wheel

8 J x 17 ET 38 · 245/45 R17

B6 647 2159

Sterling silver finish; only in conjunction with sports suspension, code 486, or AIRMATIC, code 489; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); not for E55 AMG

**17 TARAZED**

9-spoke wheel

8 J x 17 ET 38 · 245/45 R17

B6 647 1852

Sterling silver finish; only in conjunction with sports suspension, code 486, or AIRMATIC, code 489; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); not for E55 AMG

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** A 211 401 0370  
**WHEEL LOCK:** B6 647 0144

## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



**18** 10-TWIN-  
SPOKE WHEEL

8.5 J x 18 ET 38 · 245/40 R18

B6 647 4332

Titanium silver finish, high sheen; only in conjunction with sports suspension, code 486, or AIRMATIC, code 489; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); not compatible with snow chains

**18**

9 J x 18 ET 38 · RA 265/35 R18

B6 647 4331

Titanium silver finish, high sheen; only in conjunction with sports suspension, code 486, or AIRMATIC, code 489; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); not compatible with snow chains; not compatible with 4MATIC models



**17** ANKAA

5-twin-spoke wheel

8.5 J x 17 ET 38 · 245/45 R17

B6 647 2157

High-sheen finish; only in conjunction with sports suspension, code 486, or AIRMATIC, code 489; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); not for E55 AMG

**16**

8 J x 16 ET 36 · 225/55 R16

B6 647 2158

High-sheen finish; not for E500, E500 4MATIC or E55 AMG



**17** RUCHA

5-spoke wheel

8 J x 17 ET 38 · 245/45 R17

B6 647 4126

High-sheen finish; only in conjunction with sports suspension, code 486, or AIRMATIC, code 489; not for E200 CDI or E220 CDI in conjunction with code 474 (particulate filter); not for E55 AMG

**16**

7.5 J x 16 ET 42 · 225/55 R16

B6 647 4125

High-sheen finish; not for E500, E500 4MATIC or E55 AMG



**16** YILDUZ

13-hole wheel

7.5 J x 16 ET 42 · 225/55 R16

B6 647 4220

High-sheen finish; not for E500, E500 4MATIC or E55 AMG

WHEEL BOLTS: A 211 401 0370  
WHEEL LOCK: B6 647 0144

AMG LIGHT-ALLOY WHEELS



**18** STYLE III

AMG spoke wheel  
8 J x 18 ET 30 · 245/40 R18  
B6 603 1220  
Sterling silver finish



**18** STYLE III

5-spoke wheel  
8.5 J x 18 ET 30 · 245/40 R18  
B6 603 1222  
Sterling silver finish;  
modification of bodywork necessary



**18** STYLE IV

AMG twin-spoke wheel  
8 J x 18 ET 30 · 245/40 R18  
B6 603 1300  
Sterling silver finish



**18** STYLE V

AMG multi-spoke wheel  
8.5 J x 18 ET 30 · 245/40 R18  
B6 603 1111  
High-shine finish;  
modification of bodywork necessary

**18**

9 J x 18 ET 39 · RA 265/35 R18  
B6 603 1221  
Sterling silver finish; for 4MATIC  
models only size 245/40 tyres possible

**18**

9.5 J x 18 ET 33 · RA 265/35 R18  
B6 603 1223  
Sterling silver finish; not compatible  
with 4MATIC models; modification of  
bodywork necessary

**18**

9 J x 18 ET 39 · RA 265/35 R18  
B6 603 1301  
Sterling silver finish; not compatible  
with 4MATIC models

**18**

9.5 J x 18 ET 33 · RA 265/35 R18  
B6 603 1112  
High-shine finish; not compatible  
with 4MATIC models; modification of  
bodywork necessary

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: A 211 401 0370  
WHEEL LOCK: B6 647 0144



**17 ALSHAIN**

7-spoke wheel

7.5 J x 17 ET 37 · 235/45 R17

B6 647 1511

Sterling silver finish; not for E50 AMG, E55 with rim weights (3mm); increased rear axle load not possible for Wagon with trailer



**17 TUREIS**

5-spoke wheel

7.5 J x 17 ET 37 · 235/45 R17

B6 647 0513

Standard silver finish; not for E430 from 01/99, E50 AMG or E55 AMG; increased rear axle load not possible for Wagon with trailer



**16 FIDIS**

6-hole wheel  
7.5 J x 16 ET 41 · 215/55 R16  
B6 647 1731

Sterling silver finish; not for E430  
from 01/99, E50 AMG or E55 AMG



**17 CELAENO**

7-twin-spoke wheel  
7.5 J x 17 ET 37 · 235/45 R17  
B6 647 1821


Sterling silver finish; not for E50 AMG,  
E55 with rim weights (3mm);  
increased rear axle load not possible  
for Wagon with trailer



**17 SAIDAK**

5-twin-spoke wheel  
multi-piece  
7.5 J x 17 ET 37 · 225/45 R17  
B6 647 1671

Sterling silver finish; not for E50 AMG,  
E55 with rim weights (3mm);  
increased rear axle load not possible  
for Wagon with trailer



**17 CEGINUS**

EVO II wheel  
7.5 J x 17 ET 37 · 235/45 R17  
B6 647 0518

High-shine finish; not for E420,  
E430, E50 AMG or E55 AMG;  
increased rear axle load not possible  
for Wagon with trailer



**17 TARAZED**

9-spoke wheel  
8 J x 17 ET 37 · 235/45 R17  
B6 647 1851

Sterling silver finish; not for E50 AMG,  
E55 with rim weights (3mm);  
increased rear axle load not possible  
for Wagon with trailer



Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143

## GENUINE MERCEDES-BENZ WHEELS

### 17 ALHENA

5-hole wheel

7.5 J x 17 ET 37 · 235/45 R17

B6 647 4020

High-sheen finish; not for E50 AMG E55 with rim weights (3mm); increased rear axle load not possible for Wagon with trailer



## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



### 17 SADOR

5-spoke wheel

8 J x 17 ET 37 · 235/45 R17

B6 647 0703

High-sheen finish; not for E50 AMG, E55 with rim weights (3mm); increased rear axle load not possible for Wagon with trailer



### 17 MEKAB

5-hole wheel

7.5 J x 17 ET 37 · 235/45 R17

B6 647 0862

High-sheen finish; not for E50 AMG, E55 with rim weights (3mm); not for Wagon; increased rear axle load not possible for Wagon with trailer



### 16 ALGENIB

11-hole wheel

7.5 J x 16 ET 41 · 215/55 R16

B6 647 1301

High-sheen rim flange; not for E 430 from 01/99, E 50 AMG or E 55 AMG; not for Wagon



### 16 STYLE A

10-hole wheel

7.5 J x 16 ET 41 · 215/55 R16

B6 647 0092\*

Titanium silver finish

### 16

7.5 J x 16 ET 41 · 215/55 R16

B6 647 0861

High-sheen rim flange; not for E430 from 01/99, E50 AMG or E55 AMG; not for Wagon

WHEEL BOLTS: B6 647 0133  
\*WHEEL BOLTS: B6 647 0134  
WHEEL LOCK: B6 640 8233  
\*WHEEL LOCK: B6 640 8238



**16 MERAK**

5-hole wheel

7.5 J x 16 ET 41 · 215/55 R16

B6 647 0093

Standard silver finish; not for E430 from 01/99, E50 AMG or E55 AMG

**15 DENE B**

8-hole wheel

6,5 J x 15 ET 37 · 195/65 R15

B6 647 0065

Standard silver finish; not for E430 from 01/99, E50 AMG or E55 AMG; not for Wagon

**15**

7 J x 15 ET 37 · 205/65 R15

B6 647 0525

High-sheen finish; for vehicles without ESP only

## AMG LIGHT-ALLOY WHEELS

**18 STYLE II**

AMG disc wheel

8 J x 18 ET 31 · 235/40 R18

B6 603 1007

High-sheen rim flange; modification of bodywork necessary

**18**

9 J x 18 ET 35 · RA 265/35 R18

B6 603 1001

High-sheen rim flange; modification of bodywork necessary

**17 STYLE II**

AMG disc wheel

7.5 J x 17 ET 35 · 235/45 R17

B6 602 0083

High-sheen rim flange

**17**

8.5 J x 17 ET 30 · 235/45 R17

B6 602 0085

High-sheen rim flange; modification of bodywork necessary

**17 STYLE III**

AMG spoke wheel

7.5 J x 17 ET 37 · 235/45 R17

B6 603 1183\*

Sterling silver finish; \* variation with high-sheen rim flange B6 603 1028

**17**

8.5 J x 17 ET 30 · 235/45 R17

B6 603 1184▲

Sterling silver finish; ▲ variation with high-sheen rim flange B6 603 1029; modification of bodywork necessary

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233

GENUINE MERCEDES-BENZ WHEELS



**18 ASHTAROTH**

5-spoke wheel

7.5 J x 18 ET 63 · 265/60 R18

B6 647 0548

Titanium silver finish; modification of bodywork may be necessary

**18**

7.5 J x 18 ET 43 · 265/60 R18

B6 647 0598

Sterling silver finish; modification of bodywork may be necessary

## AMG LIGHT-ALLOY WHEELS

**18** STYLE I

AMG spoke wheel

8.5 J x 18 ET 48 · 265/60 R18

B6 603 1036

High-sheen rim flange

**18** STYLE I

AMG spoke wheel

9.5 J x 18 ET 50 · 265/60 R18

B6 603 1280

High-sheen rim flange

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

WHEEL BOLTS: A 140 400 0570  
WHEEL LOCK: B6 647 0145

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: HWA 140 400 0170  
WHEEL LOCK: B6 647 0145

GENUINE MERCEDES-BENZ WHEELS



**19 RUKBAT**

6-spoke wheel

8 J x 19 ET 60 · 255/50 R19

B6 647 4300

Sterling silver finish



**20 FURUD**

5-spoke wheel

8.5 J x 20 ET 60 · 265/45 R20 MO

B6 647 4212

Sterling silver finish; not in connection with pneumatic spring

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** B6 647 0135  
**WHEEL LOCK:** B6 647 0145

GENUINE MERCEDES-BENZ WHEELS



**18** MINTAKA

5-spoke wheel

8 J x 18 ET 60 · 255/55 R18

B6 647 4297

Sterling silver finish

WHEEL BOLTS: B6 647 0135  
WHEEL LOCK: B6 647 0145



GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



**19** 5-SPOKE WHEEL

8 J x 19 ET 60 · 255/50 R19

B6 647 4207

Chromed

**19 5-SPOKE WHEEL**

8 J x 19 ET 60 · 255/50 R19

B6 647 4204

Titanium silver finish

**18 5-TWIN-SPOKE WHEEL**

8 J x 18 ET 60 · 255/55 R18

B6 647 4287

Titanium silver finish

**18 5-SPOKE WHEEL**

8 J x 18 ET 60 · 255/55 R18

B6 647 4288

Titanium silver finish

**17 7-SPOKE WHEEL**

7.5 J x 17 ET 56 · 235/65 R17

B6 647 4247\*

Titanium silver finish; 17" wheels are exclusively compatible with 6-cylinder engines. For 8-cylinder vehicles at least 18" are required

**19 STYLE III**

AMG spoke wheel

8.5 J x 19 ET 58 · 255/50 R19

B6 603 1229

Sterling silver finish

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0135  
 \*WHEEL BOLTS: A 211 401 0370  
 WHEEL LOCK: B6 647 0145  
 \*WHEEL LOCK: B6 647 0144

## AMG LIGHT-ALLOY WHEELS

WHEEL BOLTS: A 000 990 0907  
 WHEEL LOCK: B6 647 0144

GENUINE MERCEDES-BENZ WHEELS



**18 NIBAL**

6-spoke wheel, multi-piece

9 J x 18 ET 52 · 285/50 R18

B6 647 1421

Sterling silver finish; \*single bolt only; ensure adequate flaring; not compatible with snow chains



**18 CEGINUS**

EVO II wheel

9 J x 18 ET 52 · 285/50 R18

B6 647 1641

\*Single bolt only; ensure adequate flaring; not compatible with snow chains

\*WHEEL BOLTS: A 163 401 0670  
WHEEL LOCK: B6 647 0144



**GENUINE MERCEDES-BENZ WHEELS**

Standard and additional designs



**17 PICTOR**

7-hole wheel

8.5 J x 17 ET 52 · 275/55 R17

B6 647 1092

\*Single bolt only; ensure adequate flaring



**17 MENKALINA**

6-hole wheel

8.5 J x 17 ET 52 · 275/55 R17

B6 647 2127

Sterling silver finish; \*single bolt only; ensure adequate flaring



**17 THUBAN**

5-hole wheel

8 J x 17 ET 52 · 255/60 R17

B6 647 4120

Sterling silver finish with high-shen rim flange; \*single bolt only



**17 5-SPOKE WHEEL**

8.5 J x 17 ET 52 · 275/55 R17

B6 647 4248

Titanium silver finish; \*single bolt only



**18 STYLE I**

AMG spoke wheel

9 J x 18 ET 52 · 285/50 R18

B6 603 1020

Sterling silver finish; \*single bolt only

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

\*WHEEL BOLTS: A 163 401 0670  
WHEEL LOCK: B6 647 0144

\*WHEEL BOLTS: A 163 401 0670  
WHEEL LOCK: B6 647 0144



**20 ALANZ**

5-twin-spoke wheel

8.5 J x 20 ET 61 · 265/45 R20 MO

B6 647 4213

Sterling silver finish;  
delayed availability



**18 ALUDRA**

6-spoke wheel

8 J x 18 ET 67 · 255/55 R18

B6 647 4298

Titanium silver finish; high-sheen

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** B6 647 0135  
**WHEEL LOCK:** B6 647 0144

GENUINE MERCEDES-BENZ WHEELS



**19** SITULA

5-spoke wheel

8 J x 19 ET 67 · 255/50 R19

B6 647 4299

Sterling silver finish

WHEEL BOLTS: B6 647 0135  
WHEEL LOCK: B6 647 0144

## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs

**19 5-SPOKE WHEEL**

8 J x 19 ET 67 · 255/50 R19

B6 647 4208

Chromed

**19 5-SPOKE WHEEL**

8 J x 19 ET 67 · 255/50 R19

B6 647 4203

Titanium silver finish

**18 5-TWIN-SPOKE WHEEL**

8 J x 18 ET 67 · 255/55 R18

B6 647 4286

Titanium silver finish

**18 10-SPOKE WHEEL**

8 J x 18 ET 67 · 255/55 R18

B6 647 4285

Titanium silver finish

**17 7-SPOKE WHEEL**

7.5 J x 17 ET 56 · 235/65 R17

B6 647 4247\*

Titanium silver finish; 17" wheels are exclusively compatible with 6-cylinder engines. For 8-cylinder vehicles at least 18" are required

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0135  
 \*WHEEL BOLTS: A211 401 0370  
 WHEEL LOCK: B6 647 0145  
 \*WHEEL LOCK: B6 647 0144

A close-up photograph of a Mercedes-Benz car's side profile, focusing on the door handle, side mirror, and window line. The car is a light metallic color, possibly silver or champagne. The background is a soft, out-of-focus landscape with a blue sky and a building in the distance.

GENUINE MERCEDES-BENZ WHEELS

**19 DENEbola**

9-twin-spoke wheel

8.5 J x 19 ET 43 · 255/40 R19

B6 647 4313

Sterling silver finish; not for S65 AMG

**19**

9.5 J x 19 ET 43 · RA 275/40 R19

B6 647 4314

Sterling silver finish; not for S65 AMG;  
not compatible with 4MATIC models



Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** B6 647 0135  
**WHEEL LOCK:** B6 647 0145



**18** ERIDANUS

5-twin-spoke wheel  
8.5 J x 18 ET 43 · 255/45 R18  
B6 647 4284  
Sterling silver finish; not for S65 AMG

**18**

9.5 J x 18 ET 43 · RA 275/45 R18  
B6 647 4293  
Sterling silver finish; not for S65 AMG;  
not compatible with 4MATIC model



## GENUINE MERCEDES-BENZ WHEELS

Standard and additional wheel models

**19** MULTI-SPOKE WHEEL

8.5 J x 19 ET 43 · 255/40 R19

B6 647 4205

Sterling silver finish;  
not for S65 AMG**18** 9-SPOKE WHEEL

8.5 J x 18 ET 43 · 255/45 R18

B6 647 4302

Sterling silver finish;  
not for S65 AMG**18** 5-SPOKE WHEEL

8.5 J x 18 ET 43 · 255/45 R18

B6 647 4309

Titanium silver finish;  
not for S65 AMG**18** 5-SPOKE WHEEL

8.5 J x 18 ET 43 · 255/45 R18

B6 647 4304

Not for S65 AMG

**19**

9.5 J x 19 ET 43 · RA 275/40 R19

B6 647 4206

Sterling silver finish;  
not for S65 AMG; not compatible with  
4MATIC models**18**

9.5 J x 18 ET 43 · RA 275/45 R18

B6 647 4303

Sterling silver finish;  
not for S65 AMG; not compatible with  
4MATIC models**18**

9.5 J x 18 ET 43 · RA 275/45 R18

B6 647 4305

Not for S65 AMG; not compatible with  
4MATIC models

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0135  
 \*WHEEL BOLTS: A 211 401 0370  
 WHEEL LOCK: B6 647 0145  
 \*WHEEL LOCK: B6 647 0144



**18 ALIOTH**

5-spoke wheel  
multi-piece

8.5 J x 18 ET 44 · 245/45 R18

B6 647 4100

Sterling silver finish;  
high-shine rim flange

**18**

9.5 J x 18 ET 46 · RA 275/40 R18 MO

B6 647 4101

Sterling silver finish; high-shine rim  
flange; models through 08/02 only;  
only in combination with Active Body  
Control (ABC)

## 18 ALBIREO

6-hole wheel, multi-piece  
8 J x 18 ET 44 · 245/45 R18  
B6 647 1451

Sterling silver finish; high-sheen rim flange; not for S600 Biturbo



## 18 ALMAAZ

15-spoke wheel  
8.5 J x 18 ET 44 · 245/45 R18  
B6 647 4241

Sterling silver finish



## 18 ERIDANUS

5-twin-spoke wheel  
8.5 J x 18 ET 44 · 245/45 R18  
B6 647 2122

Sterling silver finish;  
not for S600 Biturbo

## 17 HEZE

5-spoke wheel  
7.5 J x 17 ET 46 · 225/55 R17  
B6 647 4295

Sterling silver finish;  
not for S600 Biturbo

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

WHEEL BOLTS: B6 647 0135  
WHEEL LOCK: B6 647 0145

## GENUINE MERCEDES-BENZ WHEELS

Standard and additional wheel models



**18 DIFDA**

5-hole wheel

8 J x 18 ET 44 · 245/45 R18

B6 647 1842

Sterling silver finish; hollow-spoke



**18 SEGIN**

6-hole wheel

8 J x 18 ET 44 · 245/45 R18

B6 647 1483

High-sheen polish; forged



**17 5-SPOKE WHEEL**

7.5 J x 17 ET 46 · 225/55 R17

B6 647 4249

Sterling silver finish; not for S600 Biturbo



**17 YAD**

5-twin-spoke wheel

7.5 J x 17 ET 46 · 225/55 R17

B6 647 0545

Standard silver finish; not for S600 Biturbo; not for V6/V8 4MATIC



**17 MISMAR**

5-twin-spoke wheel

7.5 J x 17 ET 46 · 225/55 R17

B6 647 1881

Standard silver finish; not for S600 Biturbo



**16 CARMENTA II**

7-spoke wheel

7.5 J x 16 ET 46 · 225/60 R16

B6 647 1902

Standard silver finish; models through 08/02

**18**

9 J x 18 ET 46 · RA 265/40 R18

B6 647 1841

Sterling silver finish; not for 4MATIC; hollow-spoke

**18**

9 J x 18 ET 46 · RA 265/40 R18

B6 647 1484

High-sheen polish; forged; not for 4MATIC

**18**

8 J x 18 ET 44 · 245/45 R18

B6 647 0547

Sterling silver finish; hollow-spoke; not for S600 Biturbo; models through 08/02

**17**

7.5 J x 17 ET 46 · 225/55 R17

B6 647 0546

High-sheen polish; forged; not for S600 Biturbo

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0135  
WHEEL LOCK: B6 647 0145

## AMG LIGHT-ALLOY WHEELS

**18** STYLE I

AMG spoke wheel

8.5 J x 18 ET 44 · 245/45 R18

B6 603 1037\*

Sterling silver finish; \* variation with high-sheen rim flange B6 603 1012; not for S55 AMG KOMPRESSOR, S600 Biturbo or S65 AMG

**19** STYLE III

AMG spoke wheel

8.5 J x 19 ET 44 · 245/40 R19

B6 603 1022

High-sheen rim flange; not as FA/RA combination for S55 AMG KOMPRESSOR, S600 Biturbo; not for S65 AMG

**18** STYLE III

AMG spoke wheel

8.5 J x 18 ET 44 · 245/45 R18

B6 603 1240

Sterling silver finish; not for S65 AMG

**18** STYLE IV

AMG twin-spoke wheel

8.5 J x 18 ET 44 · 245/45 R18

B6 603 1306

Sterling silver finish; not for S65 AMG

**19** STYLE IV

AMG twin-spoke wheel multi-piece

8.5 J x 19 ET 44 · 245/40 R19

B6 603 1364\*

Titanium grey finish; \* variation in sterling silver B6 603 1375; not as FA/RA combination for S55 AMG KOMPRESSOR, S600 Biturbo; not for S65 AMG

**18**

9.5 J x 18 ET 46 · RA 275/40 R18

B6 603 1038▲

Sterling silver finish; ▲ variation with high-sheen rim flange B6 603 1013; not for S55 AMG KOMPRESSOR, S600 Biturbo or S65 AMG; for 4MATIC with size 245/45 tyres only; modification of bodywork necessary

**19**

9.5 J x 19 ET 46 · RA 275/35 R19

B6 603 1023

High-sheen rim flange; not for S65 AMG and 4MATIC models; modification of bodywork necessary

**18**

9 J x 18 ET 44 · RA 265/40 R18

B6 603 1241

Sterling silver finish; not for S65 AMG; for 4MATIC with size 245/45 tyres only; modification of bodywork necessary

**18**

9 J x 18 ET 44 · RA 265/40 R18

B6 603 1307

Sterling silver finish; not for S65 AMG; for 4MATIC with size 245/45 tyres only; modification of bodywork necessary

**19**

9.5 J x 19 ET 46 · RA 275/35 R19

B6 603 1365■

Titanium grey finish; ■ variation in sterling silver B6 603 1376; not for 4MATIC; not for S65 AMG; modification of bodywork necessary

WHEEL BOLTS: B6 647 0135  
 WHEEL LOCK: B6 647 0145



**18 ALPHARD**

5-hole wheel  
8.5 J x 18 ET 35 · 255/40 R18  
B6 647 4260  
High-sheen finish

**18**

9.5 J x 18 ET 40 · RA 285/35 R18  
B6 647 4261  
High-sheen finish



**18 NASHIRA**

5-twin-spoke wheel  
multi-piece

8.5 J x 18 ET 35 · 255/40 R18

B6 647 1673

Sterling silver finish;  
high-sheen rim flange

**18**

9.5 J x 18 ET 40 · RA 285/35 R18

B6 647 1674

Sterling silver finish;  
high-sheen rim flange

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** A 211 401 0370  
**WHEEL LOCK:** B6 647 0144

## GENUINE MERCEDES-BENZ WHEELS



### 17 GORGONA

5-spoke wheel

8.5 J x 17 ET 35 · 255/45 R17

B6 647 1701

Sterling silver finish

## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



### 18 AVIOR

5-spoke wheel

8.5 J x 18 ET 35 · 255/40 R18

B6 647 4060

Sterling silver finish



### 18 LALANDE

5-spoke wheel

8.5 J x 18 ET 35 · 255/40 R18

B6 647 4041

High-sheen finish

### 18

9.5 J x 18 ET 40 · RA 285/35 R18

B6 647 4061

Sterling silver finish

### 18

9.5 J x 18 ET 40 · RA 285/35 R18

B6 647 4040

High-sheen finish

WHEEL BOLTS: A 211 401 0370  
WHEEL LOCK: B6 647 0144



AMG LIGHT-ALLOY WHEELS



**17 HOMAN**

7-spoke wheel

8.5 J x 17 ET 35 · 255/45 R17

B6 647 4140

Titanium silver finish



**18 STYLE III**

AMG spoke wheel

8.5 J x 18 ET 30 · 255/40 R18

B6 603 1222

Sterling silver finish;  
not for SL65 AMG and SL55 AMG  
with Performance Package

**18**

9.5 J x 18 ET 33 · RA 285/35 R18

B6 603 1223

Sterling silver finish;  
not for SL65 AMG and SL55 AMG  
with Performance Package



**19 STYLE IV**

AMG twin-spoke wheel  
multi-piece

8.5 J x 19 ET 25 · FA 255/35 R19

B6 603 1092

Sterling silver finish;  
modification of bodywork necessary

**19**

10 J x 19 ET 28 · RA 285/30 R19

B6 603 1093

Sterling silver finish;  
modification of bodywork necessary

**19 STYLE IV**

AMG twin-spoke wheel  
multi-piece

8.5 J x 19 ET 30 · 255/35 R19

B6 603 1360 •

Sterling silver finish;  
• variation with titanium grey finish  
B6 603 1369

**19**

9.5 J x 19 ET 31 · RA 285/30 R19

B6 603 1361 ▲

Sterling silver finish;  
▲ variation with titanium grey finish  
B6 603 1370



**18 STYLE V**

AMG multi-spoke wheel

8.5 J x 18 ET 30 · 255/40 R18

B6 603 1111

High-shine finish;  
not for SL65 AMG and SL55 AMG  
with Performance Package

**18**

9.5 J x 18 ET 33 · RA 285/35 R18

B6 603 1112

High-shine finish;  
not for SL65 AMG and SL55 AMG  
with Performance Package

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: A 211 401 0370  
WHEEL LOCK: B6 647 0144



**18 ALBIREO**

6-hole wheel, multi-piece

8.5 J x 18 ET 25 · 245/40 R18

B6 647 1761

Sterling silver finish; with stainless steel scuff guard; modification of bodywork necessary

**18**

9.5 J x 18 ET 23 · RA 275/35 R18

B6 647 1762

Sterling silver finish; with stainless steel scuff guard; modification of bodywork necessary; not compatible with snow chains





Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233

#### 17 CEGINUS

EVO II wheel

8,25 J x 17 ET 34 · 245/45 R17

B6 647 0061

Sterling silver finish; for models through 06/98: FA 235/45; with 245/45 R17 some modification may be required

#### 17

8,25 J x 17 ET 34 · 245/45 R17

B6 647 0084

High-shine finish; not compatible with snow chains

## GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



**17 ALBALI**

5-hole wheel

8.25 J x 17 ET 34 · 245/45 R17

B6 647 0541

High-gloss rim flange; for models up to 06/98: FA 235/45; with 245/45 R17 some modification may be required



**17 SADOR**

5-spoke wheel

8.25 J x 17 ET 34 · 245/45 R17

B6 647 0542

High-gloss finish; for models up to 06/98: FA 235/45; with 245/45 R17; some modification may be required



**16 MONKAR**

12-hole wheel

8 J x 16 ET 34 · 225/55 R16

B6 647 0095

High-gloss rim flange; not for SL600; vehicles without ESP only



**16 ALAMAK**

8-hole wheel

8 J x 16 ET 34 · 225/55 R16

B6 647 0016

Standard silver finish; not for SL600; vehicles without ESP only

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233

## AMG LIGHT-ALLOY WHEELS



**18** STYLE IAMG spoke wheel  
multi-piece

8.5 J x 18 ET 25 · 245/40 R18

B6 603 1003

High-shine rim flange; for models  
through 06/98 only; modification of  
bodywork necessary**18** STYLE IAMG spoke wheel  
multi-piece

8.5 J x 18 ET 25 · 245/40 R18

B6 603 1008

High-shine rim flange;  
modification of bodywork necessary**18** STYLE II

AMG disc wheel

8 J x 18 ET 31 · 245/40 R18

B6 603 1007

High-shine rim flange;  
for models through 06/98 only**18**

10 J x 18 ET 25 · RA 275/35 R18

B6 603 1004

High-shine rim flange;  
modification of bodywork necessary**18**

9.5 J x 18 ET 23 · RA 275/35 R18

B6 603 1009

High-shine rim flange;  
modification of bodywork necessary**18**

9 J x 18 ET 35 · RA 275/35 R18

B6 603 1001

High-shine rim flange;  
for models through 06/98 only

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233



**i8** **SADACHIBA**

5-spoke wheel  
multi-piece

7.5 J x 18 ET 37 - 225/40 R18

B6 647 0600

Titanium silver finish, high-shine;  
not for SLK55 AMG

**i8**

8.5 J x 18 ET 30 - RA 245/35 R18

B6 647 0601

Titanium silver finish, high-shine;  
not compatible with snow chains;  
flaring for wide-base tyres  
(B6 647 0128) necessary if not  
factory-fitted; not for SLK55 AMG



## 17 ELARNEB

6-spoke wheel  
multi-piece

7.5 J x 17 ET 36 · 225/45 R17

B6 647 0256

Sterling silver finish;  
not for SLK55 AMG

## 17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 0257

Sterling silver finish; not compatible  
with snow chains; flaring for wide-  
base tyres (B6 647 0128) necessary if  
not factory-fitted; not for SLK55 AMG



## 18 ALRESHA

Multi-spoke exclusive  
forged wheel

7.5 J x 18 ET 37 · 225/40 R18

B6 647 4242

Bi-color finish; anthracite, high-sheen  
polish; not for SLK55 AMG

## 18

8.5 J x 18 ET 30 · RA 245/35 R18

B6 647 4243

Bi-color finish; anthracite, high-sheen  
polish; not compatible with snow  
chains; flaring for wide-base tyres  
(B6 647 0128) necessary if not  
factory-fitted; not for SLK55 AMG



Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** B6 647 0133  
**WHEEL LOCK:** B6 647 0143

GENUINE MERCEDES-BENZ WHEELS



**17** **ALGEDI**

10-spoke wheel

7.5 J x 17 ET 36 · 225/45 R17

B6 647 0789


Sterling silver finish;  
not for SLK55 AMG

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 0790

Sterling silver finish; not compatible  
with snow chains; flaring for wide-  
base tyres (B6 647 0128) necessary if  
not factory-fitted; not for SLK55 AMG



GENUINE MERCEDES-BENZ WHEELS

Standard and additional designs



**17** **5-SPOKE WHEEL**

7.5 J x 17 ET 36 · 225/45 R17

B6 647 0604

Titanium silver finish;  
not for SLK55 AMG

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 0605

Titanium silver finish; not compatible  
with snow chains; flaring for  
wide-base tyres (B6 647 0128)  
necessary if not factory-fitted; not for  
SLK55 AMG





**17 5-SPOKE WHEEL**

7.5 J x 17 ET 36 · 225/45 R17

B6 647 0607

Titanium silver finish, high-sheen;  
not for SLK55 AMG



**16 5-SPOKE WHEEL**

7 J x 16 ET 34 · 205/55 R16

B6 647 0602

Titanium silver finish; not for  
SLK350 or SLK55 AMG

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 0606

Titanium silver finish, high-sheen;  
not compatible with snow chains;  
flaring for wide-base tyres (B6 647 0128)  
necessary if not factory-fitted; not for  
SLK55 AMG

**16**

8 J x 16 ET 30 · RA 225/50 R16

B6 647 0603

Titanium silver finish; flaring for  
wide-base tyres (B6 647 0128)  
necessary if not factory-fitted; not  
for SLK350 or SLK55 AMG

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143

AMG LIGHT-ALLOY WHEELS



**17 STYLE I**

AMG spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1005

High-sheen rim flange;  
not for SLK350 or SLK55 AMG



**17 STYLE II**

AMG disc wheel

7.5 J x 17 ET 35 · 225/45 R17

B6 602 0083

High-sheen rim flange



**17 STYLE III**

AMG spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1183<sup>•</sup>

Sterling silver finish;  
<sup>•</sup> variation with high-sheen finish  
B6 603 1028

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1006

High-sheen rim flange

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 602 0085

High-sheen rim flange

**17**

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1185

Sterling silver finish

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1184<sup>▲</sup>

Sterling silver finish;  
<sup>▲</sup> variation with high-sheen finish  
B6 603 1029

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143

## AMG LIGHT-ALLOY WHEELS



### 17 STYLE III

AMG spoke wheel  
multi-piece

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1030

High-shine rim flange

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1031

High-shine rim flange



**17** **STYLE III**

AMG spoke wheel  
7.5 J x 17 ET 37 · 225/45 R17  
B6 603 1440  
Sterling silver finish



**17** **STYLE IV**

AMG twin-spoke wheel  
7.5 J x 17 ET 37 · 225/45 R17  
B6 603 1026  
Sterling silver finish



**18** **STYLE IV**

AMG twin-spoke wheel  
7.5 J x 18 ET 37 · 225/40 R18  
B6 603 1310  
Sterling silver finish



**18** **STYLE IV**

AMG twin-spoke wheel multi-piece  
7.5 J x 18 ET 37 · 225/40 R18  
B6 603 1368  
Sterling silver finish



**18** **STYLE V**

AMG multi-spoke wheel  
7.5 J x 18 ET 37 · 225/40 R18  
B6 603 1113  
High-sheen finish

**17**

8.5 J x 17 ET 30 · RA 245/40 R17  
B6 603 1441  
Sterling silver finish

**17**

8.5 J x 17 ET 34 · RA 245/40 R17  
B6 603 1027  
Sterling silver finish

**18**

8.5 J x 18 ET 34 · RA 245/35 R18  
B6 603 1342  
Sterling silver finish

**17**

8.5 J x 17 ET 30 · RA 245/40 R17  
B6 603 1303  
Sterling silver finish

**18**

8.5 J x 18 ET 30 · RA 245/35 R18  
B6 603 1362  
Sterling silver finish

**18**

8.5 J x 18 ET 30 · RA 245/35 R18  
B6 603 1114  
High-sheen finish

**18**

8.5 J x 18 ET 30 · RA 245/35 R18  
B6 603 1305  
Sterling silver finish

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

**WHEEL BOLTS:** B6 647 0133  
**WHEEL LOCK:** B6 647 0143



**17 ALSHAIN**

7-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1511

Sterling silver finish



**17 CELAENO**

7-twin-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1821

Sterling silver finish

**17**

8.5 J x 17 ET 30 · RA 245/40 R17

B6 647 1822

Sterling silver finish; flaring for wide-base tyres (B6 647 0112, or B6 647 0115 from 03/00 facelift) necessary if not factory-fitted; not compatible with snow chains



**17 CEGINUS**

EVO II wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 0518

High-sheen finish

**17 ALHENA**

5-hole wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 4020

High-sheen finish



Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

**WHEEL BOLTS:** B6 647 0133  
**WHEEL LOCK:** B6 647 0143

## GENUINE MERCEDES-BENZ WHEELS



### 17 SAIDAK

5-twin-spoke wheel  
multi-piece

7.5 J x 17 ET 37 · 225/45 R17

B6 647 1671

Sterling silver finish



### 16 SARGAS

5-twin-spoke wheel

7 J x 16 ET 37 · 205/55 R16

B6 647 1542

Sterling silver finish;  
not for SLK32 AMG; only with rim  
weights (3mm)



### 17 TUREIS

5-spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 647 0513

Standard silver finish

**GENUINE MERCEDES-BENZ WHEELS**

Standard and additional designs



**16 ELECTRA**

5-twin-spoke wheel  
7 J x 16 ET 37 · 205/55 R16  
B6 647 2120

Standard silver finish;  
not for SLK32 AMG



**16 ADHARAZ**

5-spoke wheel  
7 J x 16 ET 37 · 205/55 R16  
B6 647 1392

Standard silver finish;  
not for SLK32 AMG



**16 CORVUS**

6-spoke wheel  
7 J x 16 ET 37 · 205/55 R16  
B6 647 0523

Standard silver finish;  
not for SLK32 AMG



**16 PICTOR**

7-hole wheel  
7 J x 16 ET 37 · 205/55 R16  
B6 647 0509

High-shine finish;  
not for SLK32 AMG

**16**

8 J x 16 ET 30 · RA 225/50 R16  
B6 647 1393

Standard silver finish; flaring for  
wide-base tyres (B6 647 0112, or  
B6 647 0115 from 03/00 facelift)  
necessary if not factory-fitted;  
not compatible with snow chains;  
not for SLK32 AMG

**16**

8 J x 16 ET 36 · RA 225/50 R16  
B6 647 0526

Standard silver finish; flaring for  
wide-base tyres (B6 647 0112, or  
B6 647 0115 from 03/00 facelift)  
necessary if not factory-fitted;  
not compatible with snow chains;  
not for SLK32 AMG

**16**

8 J x 16 ET 30 · RA 225/50 R16  
B6 647 0510

High-shine finish; flaring for  
wide-base tyres (B6 647 0112, or  
B6 647 0115 from 03/00 facelift)  
necessary if not factory-fitted;  
not compatible with snow chains;  
not for SLK32 AMG

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 647 0143

## AMG LIGHT-ALLOY WHEELS



### 17 STYLE I

AMG spoke wheel

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1005

High-sheen rim flange



### 18 STYLE II

AMG disc wheel

8 J x 18 ET 31 · FA 225/40 R18

B6 603 1007

High-sheen rim flange;  
modification of bodywork necessary



### 17 STYLE II

AMG disc wheel

7.5 J x 17 ET 35 · 225/45 R17

B6 602 0083

High-sheen rim flange



### 17 STYLE III

AMG spoke wheel  
multi-piece

7.5 J x 17 ET 37 · 225/45 R17

B6 603 1030

High-sheen rim flange;  
modification of bodywork necessary

### 17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1006

High-sheen rim flange

### 18

9 J x 18 ET 35 · RA 255/35 R18

B6 603 1001

High-sheen rim flange;  
modification of bodywork necessary

### 17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 602 0085

High-sheen rim flange

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1185<sup>▲</sup>

Sterling silver finish;  
<sup>▲</sup> variation with high-sheen finish  
B6 603 1029

### 17

8.5 J x 17 ET 34 · RA 245/40 R17

B6 603 1031

High-sheen rim flange

### 17

8.5 J x 17 ET 30 · RA 245/40 R17

B6 603 1184

Sterling silver finish

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: B6 647 0133  
WHEEL LOCK: B6 640 8233





**17** STYLE III

AMG spoke wheel  
 7.5 J x 17 ET 37 · 225/45 R17  
 B6 603 1440  
 Sterling silver finish



**17** STYLE IV

AMG twin-spoke wheel  
 7.5 J x 17 ET 37 · 225/45 R17  
 B6 603 1026  
 Sterling silver finish



**18** STYLE IV

AMG twin-spoke wheel  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1310  
 Sterling silver finish;  
 modification of bodywork necessary



**18** STYLE IV

AMG twin-spoke wheel  
 multi-piece  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1368  
 Sterling silver finish;  
 modification of bodywork necessary



**18** STYLE V

AMG multi-spoke wheel  
 7.5 J x 18 ET 37 · 225/40 R18  
 B6 603 1113  
 High-shine finish;  
 modification of bodywork necessary

**17**

8.5 J x 17 ET 30 · RA 245/40 R17  
 B6 603 1441  
 Sterling silver finish

**17**

8.5 J x 17 ET 34 · RA 245/40 R17  
 B6 603 1027  
 Sterling silver finish

**18**

8.5 J x 18 ET 34 · RA 255/35 R18  
 B6 603 1342  
 Sterling silver finish;  
 modification of bodywork necessary

**17**

8.5 J x 17 ET 30 · RA 245/40 R17  
 B6 603 1303  
 Sterling silver finish

**18**

8.5 J x 18 ET 30 · RA 255/35 R18  
 B6 603 1362  
 Sterling silver finish;  
 modification of bodywork necessary

**18**

8.5 J x 18 ET 30 · RA 255/35 R18  
 B6 603 1114  
 High-shine finish;  
 modification of bodywork necessary

**18**

8.5 J x 18 ET 30 · RA 255/35 R18  
 B6 603 1305  
 Sterling silver finish;  
 modification of bodywork necessary



*High-sheen*



*High-sheen rim flange*

## Finishing touches make a difference

Depending on the style, once the top-quality alloy wheel has been cast or forged, it is given a smooth, ball-burnished finish and a multi-coat paint application. The coating not only provides a shiny look, but also optimal protection against corrosion, ensuring long product life. Finishes currently include sterling silver, titanium silver, silver grey, bi-color anthracite/ high-sheen polish and chrome.





### Wheel Hub Inserts

Add an attractive finishing touch to your wheels with these inserts. Five Versions available:

- B6 647 0120 (Classic Star & Laurel design; above left)
- B6 647 0206 (Sterling Silver with Chrome Star; above middle)
- B6 647 0207 (Chrome with Chrome Star; above right)
- B6 647 0202 (Standard Silver with Chrome Star; not pictured)
- B6 647 0203 (Titanium Silver; not pictured)

### Tire Valve Stem Caps

A perfect finishing touch, these chrome-plated solid brass valve stem caps dress-up any wheel. Each a set of four. Available in black, silver or AMG.

- BQ 640 8122 (Black)
- BQ 688 0057 (Silver)
- BQ 640 8125 (AMG)

### Wheel Locks

Chrome-plated wheel locks can provide a subtle but effective security touch to your Mercedes, helping to protect your light-alloy wheels and tires from theft.

*See dealer for the part number for specific wheel*



### Wheel & Tire Care Kit

Keeps wheels and tires looking their best. Includes our unique, richly formulated Tire Care gel for long-term prevention of tire discoloration and dulling, plus our high-performance Wheel Care formula to help dissolve brake dust and road grime. Equipped with an ergonomically designed wheel brush to reach hard-to-clean areas without scratching painted surfaces. Stows together in a durable, zippered case.

BQ 698 0009

Sterling silver

## GENUINE MERCEDES-BENZ WHEELS

NUMBER	NAME	PAGES
B6 647 0016	<b>Alamak</b>	76
B6 647 0061	<b>Ceginus</b>	75
B6 647 0065	<b>Deneb</b>	19, 49
B6 647 0084	<b>Ceginus</b>	75
B6 647 0092	<b>Style A</b>	48
B6 647 0093	<b>Merak</b>	49
B6 647 0095	<b>Monkar</b>	76
B6 647 0256	<b>Elarneb</b>	26, 79
B6 647 0257	<b>Elarneb</b>	26, 79
B6 647 0509	<b>Pictor</b>	87
B6 647 0510	<b>Pictor</b>	87
B6 647 0513	<b>Tureis</b>	18, 34, 46, 86
B6 647 0518	<b>Ceginus</b>	18, 34, 47, 85
B6 647 0523	<b>Corvus</b>	19, 35, 87
B6 647 0525	<b>Deneb</b>	19, 49
B6 647 0526	<b>Corvus</b>	19, 35, 87
B6 647 0541	<b>Albali</b>	76
B6 647 0542	<b>Sador</b>	76
B6 647 0545	<b>Yad</b>	24, 68
B6 647 0546	<b>Segin</b>	24, 68
B6 647 0547	<b>Difda</b>	24, 68
B6 647 0548	<b>Ashtaroth</b>	50
B6 647 0598	<b>Ashtaroth</b>	50
B6 647 0600	<b>Sadachiba</b>	9, 27, 78
B6 647 0601	<b>Sadachiba</b>	27, 78
B6 647 0602	<b>5-spoke wheel</b>	81
B6 647 0603	<b>5-spoke wheel</b>	81
B6 647 0604	<b>5-spoke wheel</b>	80

NUMBER	NAME	PAGES
B6 647 0605	<b>5-spoke wheel</b>	80
B6 647 0606	<b>5-spoke wheel</b>	81
B6 647 0607	<b>5-spoke wheel</b>	81
B6 647 0609	<b>5-spoke wheel</b>	12
B6 647 0610	<b>5-spoke wheel</b>	12
B6 647 0703	<b>Sador</b>	48
B6 647 0766	<b>7-spoke wheel</b>	13
B6 647 0789	<b>Algedi</b>	80
B6 647 0790	<b>Algedi</b>	80
B6 647 0861	<b>Mekab</b>	48
B6 647 0862	<b>Mekab</b>	35, 48
B6 647 0987	<b>Algieba</b>	13
B6 647 0992	<b>Elnath</b>	13
B6 647 1053	<b>7-hole wheel</b>	13
B6 647 1055	<b>7-hole wheel</b>	13
B6 647 1092	<b>Pictor</b>	57
B6 647 1301	<b>Algenib</b>	48
B6 647 1331	<b>Mirzam</b>	35
B6 647 1392	<b>Adharaz</b>	35, 87
B6 647 1393	<b>Adharaz</b>	87
B6 647 1421	<b>Nibal</b>	56
B6 647 1451	<b>Albireo</b>	23, 67
B6 647 1483	<b>Segin</b>	24, 68
B6 647 1484	<b>Segin</b>	24, 68
B6 647 1511	<b>Alshain</b>	12, 17, 33, 46, 84
B6 647 1515	<b>Alshain</b>	12
B6 647 1517	<b>Anchat</b>	27
B6 647 1518	<b>Anchat</b>	27

NUMBER	NAME	PAGES
B6 647 1542	<b>Sargas</b>	11, 17, 33, 86
B6 647 1641	<b>Ceginus</b>	56
B6 647 1671	<b>Saidak</b>	10, 16, 32, 47, 86
B6 647 1672	<b>Saidak</b>	16, 32, 86
B6 647 1673	<b>Nashira</b>	71
B6 647 1674	<b>Nashira</b>	71
B6 647 1701	<b>Gorgona</b>	72
B6 647 1702	<b>Adharaz</b>	12, 29
B6 647 1703	<b>Adharaz</b>	29
B6 647 1731	<b>Fidis</b>	47
B6 647 1761	<b>Albireo</b>	74
B6 647 1762	<b>Albireo</b>	74
B6 647 1821	<b>Celaeno</b>	9, 18, 34, 47, 85
B6 647 1822	<b>Celaeno</b>	18, 34, 85
B6 647 1841	<b>Difda</b>	24, 68
B6 647 1842	<b>Difda</b>	24, 68
B6 647 1851	<b>Tarazed</b>	47
B6 647 1852	<b>Tarazed</b>	43
B6 647 1881	<b>Mismar</b>	24, 68
B6 647 1902	<b>Carmenta II</b>	24, 68
B6 647 2120	<b>Electra</b>	13, 35, 87
B6 647 2121	<b>Electra</b>	13
B6 647 2122	<b>Eridanus</b>	23, 67
B6 647 2127	<b>Menkalina</b>	57
B6 647 2157	<b>Ankaa</b>	44
B6 647 2158	<b>Ankaa</b>	44
B6 647 2159	<b>Almach</b>	43
B6 647 4020	<b>Alhena</b>	33, 48, 85

NUMBER	NAME	PAGES
B6 647 4040	<b>Lalande</b>	72
B6 647 4041	<b>Lalande</b>	72
B6 647 4060	<b>Avior</b>	72
B6 647 4061	<b>Avior</b>	72
B6 647 4081	<b>Saiph</b>	29
B6 647 4083	<b>Saiph</b>	29
B6 647 4100	<b>Alioth</b>	22, 66
B6 647 4101	<b>Alioth</b>	22, 66
B6 647 4120	<b>Thuban</b>	57
B6 647 4125	<b>Rucha</b>	44
B6 647 4126	<b>Rucha</b>	44
B6 647 4140	<b>Homan</b>	73
B6 647 4160	<b>Cygnus</b>	29
B6 647 4161	<b>Cygnus</b>	29
B6 647 4203	<b>5-spoke wheel</b>	61
B6 647 4204	<b>5-spoke wheel</b>	55
B6 647 4205	<b>Multi-spoke wheel</b>	65
B6 647 4206	<b>Multi-spoke wheel</b>	65
B6 647 4207	<b>5-spoke wheel</b>	54
B6 647 4208	<b>5-spoke wheel</b>	61
B6 647 4212	<b>Furud</b>	53
B6 647 4213	<b>Alanz</b>	58
B6 647 4220	<b>Yilduz</b>	44
B6 647 4231	<b>Algieba</b>	13, 34
B6 647 4232	<b>Cygnus</b>	13, 29
B6 647 4233	<b>Cygnus</b>	13, 29
B6 647 4241	<b>Almaaz</b>	23, 67
B6 647 4242	<b>Alresha</b>	10, 28, 79

NUMBER	NAME	PAGES
B6 647 4243	<b>Alresha</b>	28, 79
B6 647 4244	<b>Alresha</b>	43
B6 647 4245	<b>Alresha</b>	43
B6 647 4247	<b>7-spoke wheel</b>	55, 61
B6 647 4248	<b>5-spoke wheel</b>	57
B6 647 4249	<b>5-spoke wheel</b>	24, 68
B6 647 4250	<b>Adharaz</b>	12
B6 647 4255	<b>Rucha</b>	44
B6 647 4260	<b>Alphard</b>	70
B6 647 4261	<b>Alphard</b>	70
B6 647 4263	<b>7-twin-spoke wheel</b>	12
B6 647 4264	<b>7-twin-spoke wheel</b>	12
B6 647 4268	<b>5-twin-spoke wheel</b>	29
B6 647 4269	<b>5-twin-spoke wheel</b>	29
B6 647 4284	<b>Eridanus</b>	64
B6 647 4285	<b>10-spoke wheel</b>	61
B6 647 4286	<b>5-twin-spoke wheel</b>	61
B6 647 4287	<b>5-twin-spoke wheel</b>	55
B6 647 4288	<b>5-spoke wheel</b>	55
B6 647 4290	<b>Menket</b>	38
B6 647 4291	<b>Menket</b>	38
B6 647 4293	<b>Eridanus</b>	64
B6 647 4294	<b>5-spoke wheel</b>	40
B6 647 4295	<b>Heze</b>	67
B6 647 4296	<b>5-spoke wheel</b>	40
B6 647 4297	<b>Mintaka</b>	54
B6 647 4298	<b>Aludra</b>	59
B6 647 4299	<b>Situla</b>	60

NUMBER	NAME	PAGES
B6 647 4300	<b>Rukbat</b>	52
B6 647 4302	<b>9-spoke wheel</b>	65
B6 647 4303	<b>9-spoke wheel</b>	65
B6 647 4304	<b>5-spoke wheel</b>	65
B6 647 4305	<b>5-spoke wheel</b>	65
B6 647 4306	<b>5-spoke wheel</b>	40
B6 647 4307	<b>Multi-spoke wheel</b>	40
B6 647 4308	<b>Multi-spoke wheel</b>	40
B6 647 4309	<b>5-spoke wheel</b>	65
B6 647 4313	<b>Denebola</b>	62
B6 647 4314	<b>Denebola</b>	62
B6 647 4315	<b>Markab</b>	42
B6 647 4319	<b>Hoedus</b>	8
B6 647 4320	<b>Hoedus</b>	8
B6 647 4331	<b>10-twin-spoke wheel</b>	44
B6 647 4332	<b>10-twin-spoke wheel</b>	44

## AMG LIGHT-ALLOY WHEELS

NUMBER	NAME	PAGES
B6 602 0083	<b>Style II</b>	14, 36, 49, 81, 88
B6 602 0085	<b>Style II</b>	14, 36, 49, 81, 88
B6 603 1001	<b>Style II</b>	14, 36, 49, 77, 88
B6 603 1003	<b>Style I</b>	77
B6 603 1004	<b>Style I</b>	77
B6 603 1005	<b>Style I</b>	14, 19, 30, 36, 81, 88
B6 603 1006	<b>Style I</b>	14, 19, 30, 36, 81, 88
B6 603 1007	<b>Style II</b>	14, 36, 49, 77, 88
B6 603 1008	<b>Style I</b>	77
B6 603 1009	<b>Style I</b>	77
B6 603 1012	<b>Style I</b>	25, 69
B6 603 1013	<b>Style I</b>	25, 69
B6 603 1020	<b>Style I</b>	57
B6 603 1022	<b>Style III</b>	25, 69
B6 603 1023	<b>Style III</b>	25, 69
B6 603 1026	<b>Style IV</b>	15, 21, 31, 37, 83, 89
B6 603 1027	<b>Style IV</b>	15, 21, 31, 37, 83, 89
B6 603 1028	<b>Style III</b>	14, 19, 36, 49, 81, 88
B6 603 1029	<b>Style III</b>	14, 19, 36, 49, 81, 88
B6 603 1030	<b>Style III</b>	14, 20, 30, 36, 82, 88
B6 603 1031	<b>Style III</b>	14, 20, 30, 36, 82, 88
B6 603 1036	<b>Style I</b>	51
B6 603 1037	<b>Style I</b>	25, 69
B6 603 1038	<b>Style I</b>	25, 69

NUMBER	NAME	PAGES
B6 603 1092	<b>Style IV</b>	41, 73
B6 603 1093	<b>Style IV</b>	41, 73
B6 603 1111	<b>Style V</b>	45, 73
B6 603 1112	<b>Style V</b>	45, 73
B6 603 1113	<b>Style V</b>	15, 21, 31, 37, 83, 89
B6 603 1114	<b>Style V</b>	15, 21, 31, 37, 83, 89
B6 603 1115	<b>Style V</b>	41
B6 603 1116	<b>Style V</b>	41
B6 603 1183	<b>Style III</b>	14, 19, 30, 36, 49, 81, 88
B6 603 1184	<b>Style III</b>	14, 19, 30, 36, 49, 81, 88
B6 603 1185	<b>Style III</b>	14, 19, 30, 36, 81, 88
B6 603 1220	<b>Style III</b>	45
B6 603 1221	<b>Style III</b>	45
B6 603 1222	<b>Style III</b>	45, 73
B6 603 1223	<b>Style III</b>	45, 73
B6 603 1229	<b>Style III</b>	55
B6 603 1230	<b>Style III</b>	41
B6 603 1231	<b>Style III</b>	41
B6 603 1240	<b>Style III</b>	25, 69
B6 603 1241	<b>Style III</b>	25, 69
B6 603 1280	<b>Style I</b>	51
B6 603 1300	<b>Style IV</b>	45
B6 603 1301	<b>Style IV</b>	45
B6 603 1302	<b>Style IV</b>	15, 21, 31, 37, 83, 89

NUMBER	NAME	PAGES
B6 603 1303	<b>Style IV</b>	15, 21, 31, 37, 83, 89
B6 603 1305	<b>Style IV</b>	15, 21, 31, 37, 83, 89
B6 603 1306	<b>Style IV</b>	25, 69
B6 603 1307	<b>Style IV</b>	25, 69
B6 603 1308	<b>Style IV</b>	41
B6 603 1309	<b>Style IV</b>	41
B6 603 1310	<b>Style IV</b>	15, 21, 31, 37, 83, 89
B6 603 1342	<b>Style IV</b>	15, 31, 37, 83, 89
B6 603 1360	<b>Style IV</b>	73
B6 603 1361	<b>Style IV</b>	73
B6 603 1362	<b>Style IV</b>	15, 21, 31, 37, 83, 89
B6 603 1363	<b>Style IV</b>	31
B6 603 1364	<b>Style IV</b>	25, 69
B6 603 1365	<b>Style IV</b>	25, 69
B6 603 1368	<b>Style IV</b>	15, 21, 31, 37, 83, 89
B6 603 1369	<b>Style IV</b>	73
B6 603 1370	<b>Style IV</b>	73
B6 603 1375	<b>Style IV</b>	25, 69
B6 603 1376	<b>Style IV</b>	25, 69
B6 603 1440	<b>Style III</b>	15, 21, 31, 37, 83, 89
B6 603 1441	<b>Style III</b>	15, 21, 31, 37, 83, 89



Mercedes-Benz USA, LLC  
One Mercedes Drive  
Montvale, NJ 07645  
1-800-FOR-MERCEDES  
**MBUSA.com**

© 2005 Mercedes-Benz USA, LLC  
A DaimlerChrysler Company



Mercedes-Benz

All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. Actual product offerings may vary from those shown or may be subject to availability delays or discontinuance. Mercedes-Benz reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown are due to reproduction variations of the printing process. Some vehicles may be shown with non-U.S. equipment. Vehicles are shown with optional equipment.

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage. See an authorized Mercedes-Benz dealer for details and installation. Please also bear in mind that vehicle development is continuously ongoing. As a result, not all of the wheel/tire combinations shown in this catalog will be approved for your particular Mercedes-Benz. Your authorized Mercedes-Benz dealer, however, has access to constantly updated information on every Genuine Mercedes-Benz wheel, and will be happy to advise you.

For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice.

Certain accessories may require additional components to complete the installation in your vehicle. Please consult your authorized Mercedes-Benz dealer for specific information about automotive accessories.

Printed in the Federal Republic of Germany  
ACC-05-700-50000 (9/05)