

This microfiche replaces microfiche no. 07 102 2488 69.

The previous microfiche is no longer valid and should be destroyed immediately.

The work descriptions and operation numbers are matched to the "operation texts and work units" or "standard texts and flat rates".

Always take the operation numbers for the repair order from the microfiche "Operation texts and work units" or "Standard texts and flat rates".

A summary of the revisions and supplements is given below in key words.

Coordinates

**Revised work descriptions:**

88-205	Removal and installation of molding on front bumper .....	H 11
88-225	Removal and installation of molding on rear bumper .....	A 12
88-400	Removal and installation of radiator cowling .....	D 13
88-405	Removal and installation of Mercedes star .....	K 13

Revisions ..... K 18

**77 Tilting/sliding sun roof, soft top and roof rail**

77-050	Removal and installation of headlining on tilting/sliding sun roof .....	B	1
77-055	Removal and installation of headlining on cabriolet .....	E	1
77-100	Removal and installation of tilting/sliding sun roof top panel .....	A	2
77-110	Adjustment of tilting/sliding sun roof top panel .....	C	2
77-130	Removal and installation of gasket and holding rails on sun roof opening .....	G	2
77-140	Removal, installation and adjustment of control cable .....	K	2
77-150	Removal and installation of tube .....	A	3
77-160	Removal and installation of tube (T-model) .....	D	3
77-170	Removal and installation of angular lifting arm on tilting/sliding sun roof .....	K	3
77-180	Removal and installation of motor and gear unit .....	A	4
	A. Control cable can be removed .....	A	4
	B. Control cable cannot be removed .....	B	4
77-195	Checking and adjusting slip clutch for tilting/sliding sun roof motor .....	G	4
77-250	Removal and installation of wind deflector on tilting/sliding sun roof .....	K	4
77-300	Removal and installation of tilting/sliding sun roof frame .....	A	5
	<b>Soft top</b>		
77-305	Removal and installation of soft top (hydraulically controlled soft top) .....	E	5
77-308	Replacement of soft top cover .....	N	5
77-310	Adjustment of soft top .....	D	8
77-315	Removal and installation of rear window on cabriolet .....	N	8
77-330	Removal and installation of left and right catches .....	A	9
77-334	Adjustment of handle on catch .....	B	9
77-402	Removal and installation of roll-over bar retracted and extended switches .....	E	9
77-405	Removal and installation of soft top compartment "open" switch .....	G	9
77-418	Removal and installation of switch assembly on left soft top mount .....	H	9
77-435	Removal and installation of soft top bow "up" (raised) switch .....	K	9
77-440	Removal, installation and adjustment of soft top compartment cover switches "closed" and "locked" .....	N	9
77-450	Removal and installation of soft top control unit .....	D	10
	<b>Roof rail</b>		
77-500	Removal and installation of roof rail (T-model) .....	E	10
77-510	Removal and installation of mounts for roof rack (coupe) .....	H	10

	<b>Fender</b>	
88-100	Removal and installation of front fender .....	B 11
	<b>Bumper</b>	
88-200	Removal and installation of front bumper .....	G 11
88-205	Removal and installation of molding on front bumper .....	H 11
88-210	Disassembly and assembly of front and rear bumpers .....	K 11
88-220	Removal and installation of rear bumper .....	N 11
	A. Sedan .....	N 11
	B. T-model .....	N 11
88-225	Removal and installation of molding on rear bumper .....	A 12
	<b>Engine hood</b>	
88-300	Removal and installation of engine hood .....	B 12
88-302	Adjustment of engine hood .....	E 12
	A. Adjustment in longitudinal direction .....	E 12
	B. Adjustment in lateral direction .....	H 12
	C. Adjustment in height .....	J 12
88-306	Removal and installation of engine hood hinge .....	N 12
88-310	Removal and installation of control cable for engine hood .....	A 13
88-400	Removal and installation of radiator cowling .....	D 13
88-401	Removal and installation of radiator grille .....	G 13
88-402	Removal and installation of trim strips on radiator grille .....	H 13
88-405	Removal and installation of Mercedes star .....	K 13
	<b>Trunk lid</b>	
88-500	Removal and installation of trunk lid .....	A 14
	A. Sedan and coupe .....	A 14
	B. Cabriolet .....	B 14
88-505	Attachment of model designation on trunk lid .....	E 14
88-512	Removal and installation of hinge lever on trunk lid .....	G 14
	A. Sedan and coupe .....	G 14
	B. Cabriolet .....	H 14
88-520	Adjusting trunk lid .....	A 15
	A. Adjusting in longitudinal direction .....	A 15
	B. Adjusting in height .....	B 15
	C. Adjusting during repairs at rear end .....	E 15
88-600	Removal, installation and adjustment of soft top compartment cover (convertible) .....	G 15

### Detachable body components

88-800	Removal and installation of trim on side wall	N 15
	A. Sedan	N 15
	B. Coupe	H 15
88-802	Removal and installation of protective strip on side wall	A 16
88-830	Removal and installation of trim on frame side member (coupe)	B 16
88-855	Removal and installation of water deflector on front wall pillar and on roof	E 16
88-860	Removal and installation of sectional sealing strip on roof frame (coupe)	K 16
88-900	Removal and installation of outside mirror	N 16
	A. Mirror glass	N 16
	B. Complete outside rear view mirror	O 16
88-905	Removal and installation of electrically adjustable outside rear view mirror	A 17
	A. Mirror glass	A 17
	B. Complete outside rear view mirror	B 17

The following groups are contained on the following microfiches:

91	<b>Seats, restraint systems</b>	<b>Microfiche IV</b>
94	<b>Body noises</b>	<b>Microfiche IV</b>
97	<b>Body sealing, corrosion protection</b>	<b>Microfiche IV</b>

Reproduction or translation, in whole or in part,  
and other copying of this microfilm, regardless of type,  
is not permissible without our explicit written approval.  
Invalid microfilms should be destroyed immediately.

Mercedes-Benz AG  
Vertrieb Personenwagen  
D-70322 Stuttgart

Made in Federal Republic of Germany